

**Headquarters**

12-18, Awaza 1-chome, Nishi-ku, Osaka 550-0011, Japan  
Telephone:+81-6-6110-1598 Facsimile:+81-6-6110-1612

March, 2021

## Notice of Discontinuation of Chiral CD-Ph

Osaka Soda Co., Ltd.

Chemical Specialties Division  
Chromatography Sales Department

Dear Valued Customers,

This letter is to notify you that Chiral CD-Ph will be discontinued in our HPLC column lineups. The reason behind this is that it is getting difficult to procure the raw materials for the production of this column. Please kindly refer to the details described below with the attached sheet in the next page of this letter.

---

**■Product subject to be discontinued**

Chiral CD-Ph

**■Date the product to be discontinued**

September 30, 2021

---

We apologize for any inconvenience this may cause.

Thank you for your understanding in advance and your continued support.

If you have any inquiries on this matter please reach out to us at:

**Osaka Soda Co., Ltd.**

**Chemical Specialties Division Chromatography Sales Department**

**12-18, Awaza 1-chome, Nishi-ku, Osaka 550-0011, Japan**

**TEL: +81-6-6110-1598 FAX: +81-6-6110-1612 E-mail: [silica@osaka-soda.co.jp](mailto:silica@osaka-soda.co.jp)**

**Headquarters**

12-18, Awaza 1-chome, Nishi-ku, Osaka 550-0011, Japan  
Telephone:+81-6-6110-1598 Facsimile:+81-6-6110-1612

## &lt; Attachment &gt;

**-List of products to be discontinued-**

Product No	Product name
80038	Chiral CD-Ph 2.0X35
80043	Chiral CD-Ph 2.0X150
80044	Chiral CD-Ph 2.0X250
80051	Chiral CD-Ph 4.6X35
80052	Chiral CD-Ph 4.6X50
80053	Chiral CD-Ph 4.6X150
80054	Chiral CD-Ph 4.6X250
80061	Chiral CD-Ph 10X20
80064	Chiral CD-Ph 10X250
80071	Chiral CD-Ph 20X35
80073	Chiral CD-Ph 20X150
80074	Chiral CD-Ph 20X250
80080	Chiral CD-Ph 30X30
80081	Chiral CD-Ph 30X50
80084	Chiral CD-Ph 30X250
80039	GUARD CARTRIDGE Chiral CD-Ph 4.0X10 (2PCS)